


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

code refactoring copy cut paste method

1995

- 2003

Search

Ad
Sc
Sc
Scholar All articles - **Recent articles** Results 1 - 10 of about 51 for **code refactoring copy cut paste**
All Results[M Fowler](#)[J Gosling](#)[B Joy](#)[G Steele](#)[J Raskin](#)
[book] Refactoring: improving the design of existing code - all 16 versions »

M Fowler - 1999 - books.google.com

... Coordinator: Genevieve C. Rajewski **Copy Editor:** Catherine ... 1The First Step in**Refactoring**7Decomposing and ... the Conditional Logic on Price **Code** with Polymorphism ...Cited by 1713 - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)
Smarter cut-and-paste for programming text editors - all 7 versions »

G Wallace, R Biddle, E Tempero - Proceedings of the 2nd Australasian conference on User ... , 2001 - portal.acm.org

... Accomplishing **refactoring** simply using a text editor will ... involve sequence of low level **cut**, **copy** and **paste** ... is to change the structure of the **code** with- out ...Cited by 4 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
Eliciting Abstractions from a Software Product Line - all 8 versions »

CW Krueger, D Churchett - Proceedings of the OOPSLA 2002 PLEES International Workshop ... , 2002 - precilog.com

... software fragments that often result from **cut-copy-paste**-modify during ... on the façade variation point **refactoring** task proved ... 1600 to 600 lines of **code** (LOC). ...Cited by 5 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
Improving the Design of Existing Code

M Fowler - 1999 - space.net

... The problem with copying and pasting **code** comes when you have to ... If, however, we **copy** the statement to an HTML statement, we ... This is where **refactoring** comes in ...Cited by 10 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)
Beyond files: programming with multiple source views - all 3 versions »

PJ Quitslund - Proceedings of the 2003 OOPSLA workshop on eclipse ... , 2003 - portal.acm.org

... Yet juxtaposition is crucial to common tasks like **refactoring**. ... To **copy** otherwise, to republish, to post on servers ... Virtual Source File (VSF) demo **code** [4]. Like ...[Related Articles](#) - [Web Search](#)
Are decomposition slices clones? - all 6 versions »

K Gallagher, L Layman - Program Comprehension, 2003. 11th IEEE International ... , 2003 - ieeeexplore.ieee.org

... understanding, changing, reverse engineering, or **refactoring code** is evident ... copies and modifies a piece of **code** such as ... clone types: (1) an exact **copy**; (2) a ...Cited by 1 - [Related Articles](#) - [Web Search](#)
Refactoring Prolog programs - all 4 versions »

T Schrijvers, A Serebrenik, B Demoen - 2001 - cs.kuleuven.ac.be

... either remove all but one of the clones, replace all clones by a single new **copy** in a ... At the next step a dead **code** elimination **refactoring** can be ...Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[BOOK] [Software Construction by Stepwise Feature Introduction](#) - all 6 versions

»

RJ Back - 2002 - Springer

... This corresponds to software **refactoring** [14 ... What we really want is to **copy** and **paste** the styles also. ... that we have done a careful check (eg, a **code** review) and ...

[Cited by 15](#) - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)

[BOOK] [A Generic Deep Copy Algorithm for MOF-based Models](#) - all 3 versions

»

I Porres, M Alanen - 2002 - tucs.fi

... models, eg, to implement the **copy** and **paste** feature or a ... All the figures and **code** examples in this article have ... The **copy** also contains a **copy** of the attributes ...

[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

[Removing clones from the code](#) - all 6 versions »

R Fanta, V Rajlich - Journal of Software Maintenance Research and Practice, 1999 - doi.wiley.com

... of the target class; 4. **copy** data members ... level editing tools for C++ **code** restructuring presented ... abstract superclass, subclassing, and **refactoring** to capture ...

[Cited by 17](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

Googooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

code reuse copy cut paste method

1995

- 2003

Search

Ad
Sc
Sc
Scholar All articles - **Recent articles** Results 1 - 10 of about 812 for **code reuse copy cut paste me**
All Results[B Myers](#)[M Fowler](#)[D Kosbie](#)[R Cain](#)[A Memon](#)
Graphical Rewrite Rule Analogies: Avoiding the Inherit or Copy & Paste Reuse Dilemma - all 8 versions »

C Perrone, A Repenning - Proceedings of the 1998 IEEE Symposium of Visual Languages, 1998 - doi.ieeeecomputersociety.org

 ... alternative programming solution which facilitates **reuse** and avoids ... to render the resulting **code** useful and ... the brittleness inherent in straight **copy** and **paste** ...

 Cited by 15 - [Related Articles](#) - [Web Search](#)
Reusable hierarchical command objects - all 7 versions »

BA Myers, DS Kosbie - Proceedings of the SIGCHI conference on Human factors in ..., 1996 - portal.acm.org

 ... a command object and calls its DO **method**. ... interface are independent, and better **code reuse** because the ... high-level commands such as **cut**, **copy**, **paste**, text edit ...

 Cited by 74 - [Related Articles](#) - [Web Search](#)
[book] Similarity Inheritance: A New Model of Inheritance for Spreadsheet VPLs - all 8 versions »

RW Djang, M Burnett, Dept. of Computer Science, ... - 1998 - Oregon State University, Dept. of Computer Science

 ... four elements in the interaction model—the **copy** operation and ... Walpole, R. and M. Burnett, "Supporting **reuse** of evolving visual **code**," 1997 IEEE ...

 Cited by 17 - [Related Articles](#) - [Web Search](#) - [Library Search](#)
Smarter cut-and-paste for programming text editors - all 7 versions »

G Wallace, R Biddle, E Tempero - Proceedings of the 2nd Australasian conference on User ..., 2001 - portal.acm.org

 ... and invokes either a **cut** or **copy** operation ... the other categories are also related, because **cut-and-paste** ... This common and important kind of **code reuse** in- volves ...

 Cited by 4 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
[book] Refactoring: improving the design of existing code - all 16 versions »

M Fowler - 1999 - books.google.com

 ... Production Coordinator: Genevieve C. Rajewski **Copy** Editor: Catherine ... Replace Error **Code** with Exception ... Chapter 13: Refactoring, **Reuse**, and Reality (by William ...

 Cited by 1713 - [Related Articles](#) - [Web Search](#) - [Library Search](#) - [BL Direct](#)
A lightweight framework for cross-application user monitoring - all 6 versions

»

KD Fenstermacher, M Ginsburg - Computer, 2002 - ieeeexplore.ieee.org

 ... For example, a **cut-and-paste** operation that transfers ... to search for background information to **copy** into the ... Source **code reuse** Adapting existing **code** to fit a ...

 Cited by 10 - [Related Articles](#) - [Web Search](#) - [BL Direct](#)
An ADA reuse support system for Windows 95/NT

D Battaglia, A Burke, J Beidler - ACM SIGAda Ada Letters, 1998 - portal.acm.org

 ... This is where the developer will write his **code**, and is the part of ... **REUSE** offers the standard windows text editing features: **cut**, **copy**, **paste**, find, menus ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

[Are decomposition slices clones? - all 6 versions »](#)

K Gallagher, L Layman - Program Comprehension, 2003. 11th IEEE International ..., 2003 - [ieeexplore.ieee.org](#)

... obvious clones are not detected; the technique does not find all unmodified **cut-and-paste** ... 3. Slice-clones did not arise due to "**code reuse** by **copy**- ing pre ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

[Eliciting Abstractions from a Software Product Line - all 8 versions »](#)

CW Krueger, D Churchett - Proceedings of the OOPSLA 2002 PLEES International Workshop ..., 2002 - [precilog.com](#)

... thereby increasing the levels of **reuse** in the ... software fragments that often result from **cut-copy-paste**-modify during ... to two variants, the common **code** was moved ...

[Cited by 5](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)



[Studying Development and Debugging to Help Create a Better Programming Environment](#)

B Myers, A Ko - CHI 2003 Workshop on Perspectives in End User Development, 2003 - [giove.cnuce.cnr.it](#)

... breakdowns highlight the need for more support for **code reuse**. ... and-**paste** to help with **code re-use**, so that ... ability to have these changes reflected into **code**. ...

[Cited by 4](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	263	717/159.ccls.	USPAT	OR	OFF	2007/08/27 07:22
S2	552	719/310.ccls.	USPAT	OR	OFF	2007/08/27 07:22
S3	25	717/159.ccls. and (edit\$3 or (cut near\$3 paste) or (copy near\$3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3) same (within or between or file or package or class) and (block or portion or code or software or binar\$3 or executable) and (console or ui or gui or "user interface") and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3)	USPAT	OR	ON	2007/08/27 07:31
S6	27	717/159.ccls. and (edit\$3 or (cut near\$3 paste) or (copy near\$3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3) same (within or between or file or package or class) and (block or portion or code or software or binar\$3 or executable) and (console or ui or gui or "user interface") and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33

EAST Search History

S7	105	719/310.ccls. and (edit\$3 or (cut near3 paste) or (copy near3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3) same (within or between or file or package or class) and (block or portion or code or software or binar\$3 or executable) and (console or ui or gui or "user interface") and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33
S8	15	717/159.ccls. and (edit\$3 or (cut near3 paste) or (copy near3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3) same (within or between or file or package or class) and (block or portion or code or software or binar\$3 or executable) and (console or ui or gui or "user interface") and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3) and (library or libraries or dll)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:33

EAST Search History

S9	59	719/310.ccls. and (edit\$3 or (cut near\$3 paste) or (copy near\$3 paste) or cut\$4 or copy\$3 or slic\$3 or eliminat\$3 or remov\$3) same (within or between or file or package or class) and (block or portion or code or software or binar\$3 or executable) and (console or ui or gui or "user interface") and (call\$3 or invoke or invocation or instantiat\$3 or referenc\$3 or jump\$3 or branch\$3 or trampolin\$3 or overwrit\$3 or writ\$3) and (optimiz\$5 or optimis\$5 or optimal\$2 or streamlin\$3 or repackag\$3 or restructur\$3 or rearrang\$4 or recod\$3) and (library or libraries or dll)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 07:34
S10	74	S8 S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:36
S11	2	"6179491".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:37
S12	1399	(software or code) same (cut\$4 near\$3 (insert\$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 14:25
S13	1858	(software or code) same (copy\$3 near\$3 (insert\$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:38

EAST Search History

S14	367	S12 and S13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:39
S15	28	S12 and S13 and (block near3 code)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:39
S16	154	S12 and S13 and ("size of" or "more than" or "greater than" or "number of" or footprint or threshold or maximum or max)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:40
S17	18	S15 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:57
S18	2	"7110936".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 11:57
S19	9	(software or code) same (cut\$4 near3 (insert\$4 or paste or pasting)) and (helper near3 class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:40
S20	3	"20020032804"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:41

EAST Search History

S21	2	"20020032804" and (class or default)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:43
S22	0	"20020032804" and (class or default) and private	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S23	0	"20020032804" and (class or default) and public	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:42
S24	1208	creat\$3 same (private same class)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:44
S25	11	creat\$3 same (private same class) and (software or code) same (cut\$4 near3 (insert\$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:49
S26	1	creat\$3 same (access near5 modifiers) and (class or object) and (software or code) same (cut\$4 near3 (insert\$4 or paste or pasting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/27 15:50